

FERSA SOLUTIONS

VOLVO

DIFFERENTIAL
GEARBOX
WHEEL END



FERSA SOLUTIONS

VOLVO





ABOUT US

FERSA BEARINGS IS A SPANISH MULTINATIONAL COMPANY DEDICATED TO THE DESIGN, DEVELOPMENT, MANUFACTURING AND DISTRIBUTION OF THE COMPLETE SOLUTIONS FOR HIGH PERFORMANCE BEARINGS

COMMERCIAL VEHICLE EXPERTS

The most complete range for major heavy vehicle applications.

As experts in bearings, we can offer specific bearing designs according to their final application: gearbox, differential and wheel ends.

We manufacture bearings for American, Asian and European vehicles.

INDEX

INTRODUCTION \Pg. 4

Introdução / Introducción / Introduction / Einleitung / Введение / Wstęp / المؤشر

1\

DIFFERENTIAL \Pg.10

Diferencial \ Diferencial \ Différentiel Differential \ Unterschied
Дифференциал \ Mechanizm różnicowy \ القرص التفاضلي

2\

GEARBOX \Pg.20

Caixa de Câmbio \ Caja de Cambios \ Boîte de vitesse / Getriebe
\ Коробка передач \ Skrzynia biegów \ علبة التروس

3\

WHEEL END \Pg.42

Roda \ Rueda \ Roue \ Rad \ Колесо \ Koło \ العجلة

Bus \ Ônibus \ Autobús \ Bus \ Bus \ Автобус \ Autobus \ حافلة

Truck \ Caminhão \ Camión \ Camion \ LKW \ Грузовик \ Samochód ciężarowy \ شاحنة

4\

OEM Cross References \Pg.58

OEM Cruzamento de Referências \ OEM Cruce de Referencias Références OEM croisées \
OEM-Quervergleiche \ Перевод на маркировку производителя \ Odnosiniki OEM \
مراجع متبادلة مُصنع المعدات الأصلية



FERSA SOLUTION

THE “FERSA SOLUTION” IS OUR FULL SERVICE APPROACH FOR BEARINGS FOR SPECIFIC APPLICATIONS SUCH AS WHEEL-ENDS, DIFFERENTIALS AND GEARBOXES FOR MOST COMMERCIAL VEHICLES

Fersa bearings are manufactured to OEM specifications; starting with the specifications of the raw material to the heat treatment processes, as well as optimized design features.



SPECIAL HEAT TREATMENT FOR BEARINGS

Optimized material composition for enhanced service life.

All Fersa bearings undergo a special type of Through Hardening heat treatment. The hardening process includes austenization and quenching in a carbon neutral atmosphere. This provides an elevated tensile strength -throughout the part- after quenching, which is then tempered to increase the ductility and toughness.

Fersa's added value offer is...

Increased bearing service life and delaying the maintenance of the vehicle.





OPTIMIZED PROFILES FOR EVERY APPLICATION

OEMs and Tier1 manufacturers know that bearings are a vital element of the drivetrain system. It needs to perform flawlessly under the most critical working conditions. Fersa bearings are designed for heavy duty applications, thus have to withstand very demanding loads. All the bearings that Fersa manufactures, be it for: wheel hub units, wheel-ends, differentials, as well as transmissions feature specific internal geometry, as complex profiling and low roughness.

Fersa's added value offer is...

Extending bearing wear resistance.

REDUCED SPACER RANGE FOR PINION APPLICATIONS

Fersa bearings for pinion applications are manufactured according to the toughest OEM specifications, with tighter width tolerances in the back face.

Fersa's added value offer is...

Reducing the number of attempts for proper spacer selection during assembly and ensuring an optimum (tighter) pinion preload setting. The final process assembly time is reduced, cost savings are considerably increased.





Position

Posición
Posição
Position
Položen
Позиция
موضول

Fersa Reference

Referencia Fersa
Referência Fersa
Référéncia Fersa
Fersa Ref.
Referencyjny Fersa
Номер от Fersa
امريفي عجرم

OEM Reference

Referencia OEM
Referência OE
OEM Référence
OEM Ref.
Numer referencyjny OEM
Номер от производителя
فيلصال تادعل و عجرم عجرم

Brand

Marca, Marca, Marque,
Marke, Marka, Марка,
فيراچتال موال عل

Model

Modelo, Modelo, Modèle,
Model, Model, Модель,
مؤملا

POSITION

Fersa

OEM

VOLVO

DR80

Ratio 3,76/1, 4,12/1, 4,55/1, 5,41/1, 1,09/1, 1,19/1

Bevel pinion, front

HM 91

125/HM 911210

184633+184115

Bevel pinion, pilot

Series / Ratio - Axle serie

183703

Bevel pinion, rear

H 91

3843/H 91

184635

Differential, left

687/672

181279 / 184637

Differential, right

687/672

181279 / 184637

Reduction shaft, right

687/672

183831 / 184639



Axle Model

Modelo de eje
Modelo de Eixo
Modèle d'essieu
Achsmoell
Model osi
Модель моста
مؤملا مؤملا

Axle Position

Tipo de eje
Tipo de eixo
Position de l'essieu
Achsposition
Polozenie osi
Позиция моста
مؤملا مؤملا

Axle Information

Información del Eje
Informação de Eixo
Informations de l'essieu
Achsinformation
Polozenie osi
Информация о мосте
مؤملا مؤملا

Bearing Position

Posición del Rodamiento
Posição do Rolamento
Posición del Rodamiento
Lagerposition
Polozenie łożyska
Позиция подшипника
مؤملا مؤملا

Brand

Marca, Marca, Marque,
Marke, Marka, Марка,
فيراچتال موال عل

Model

Modelo, Modelo, Modèle,
Model, Model, Модель,
مؤملا

MERCEDES BENZ

ATEGO

814, 814 L, 815, 815 L, 817, 817 L

	FA	SA 504304 01		32306 F	33208 F
	FA	SA 504304 01	Construction		
VL 2/22 DC-4,1	FA	SA 504304 01	Construcción, Construção, Construcción, Konstruktion	33207 F	39590/39520
	FA	SA 504304 01	20		
HL 4/40 DC-7	RA			33017 F	33208 F

N° OEM

EN Search according to OEM Number:

- 1 In the OEM reference List table (page 58) look for the corresponding Fersa reference.
- 2 Find the Fersa reference in the catalog. Please be sure to verify the application referenced.

ES Método de búsqueda por N° OEM:

- 1 Busque el número de referencia OEM en la tabla Listado de referencia OEM (pag. 58).
- 2 Busque la referencia Fersa en el catalogo y verifique la aplicación.

PT Método de busca por N° OEM:

- 1 Busque o número de referencia OEM na tabela Lista de referência OEM (pág. 58).
- 2 Busque a referência Fersa no catálogo, e verifique a aplicação.

FR Recherchez la pièce à l'aide du numéro OEM:

- 1 Dans le tableau de la liste des références OEM (page 58), recherchez la référence Fersa correspondante.
- 2 Trouvez la référence Fersa dans le catalogue. Assurez-vous de bien vérifier l'application référencée.

DE Suche anhand der OEM-Nummer:

- 1 Suchen Sie in der Liste der OEM-Ref.-Nr. (Seite 58) nach der entsprechenden Fersa-Ref.-Nr.
- 2 Suchen Sie die Fersa-Ref.-Nr. im Katalog. Bitte prüfen Sie die Anwendung anhand der Ref.-Nr.

PL Wyszukiwanie według numeru OEM:

- 1 Znajdź odpowiedni numer Fersa w tabeli zawierającej wykaz numerów referencyjnych OEM (strona 58).
- 2 Znajdź w katalogu numer referencyjny Fersa. Pamiętaj o sprawdzeniu odnośnego zastosowania.

RU Поиск по номеру производителя:

- 1 В таблице номеров производителей (стр. 58) найдите соответствующий номер Fersa.
- 2 Найдите номер Fersa в каталоге. Не забудьте проверить применение согласно номеру.

AR مُؤَلِّصُ أَلْأَمَالِ خَالِدْ عَمَلْ وَأَعْرَضْ مَوْزَلْ أَوْفِيْطْ شَرْبَا

- 1 فِيْ جَدْوَلْ قَائِمَةُ مَرْجَمْ مُصْنَعِ الْمَعْدَاتِ الْأَصْلِيَّةِ (الصفحة) أَيْدَتْ عَرِ مَرْجَمْ فِيرْسَا اِلْمُتَوَافِقِ.
- 2 أَيْدَتْ عَرِ مَرْجَمْ فِيرْسَا فِي الْكَاتَالُوجِ. رَجَاءً تَأَكُّدْ مِنْ أَوْ تَتَفَقَّ مِنْ التَّطْبِيقِ الْوَارِدِ فِي الْمَرْجَمِ.

Symbols & Nomenclatures

	EN	ES	PT	FR
	Differential	Diferencial	Diferencial	Differentiel
	Gearbox	Caja de cambios	Caixa de câmbio	Boîte de vitesses
	Wheel end	Rueda	Roda	Roue
	Trailer	Trailer	Reboque	Remorque
	Truck	Camión	Caminhão	Camion
	Bus	Bus	Ônibus	Bus
	OEM cross references	OEM cruce de referencias	OEM Referências cruzadas	Références OEM croisées
*	Availability to be advised	Se confirmará disponibilidad	Disponibilidade a confirmar	Disponibilité à notifier
	Axle position	Posición del eje	Posição do eixo	Position de l'essieu
	Infomation	Información	Informação	Informations
	WHU (Wheel Hub Unit)	WHU (Unidad de buje de rueda)	WHU (Cubo de roda unitizado)	WHU (unité de roulement de roue)
	Inboard	Interior	Interior	Embarqué
	Outboard	Exterior	Exterior	Débarqué

Z	Shield on one side	Tapa en una cara	Protetor em uma face	Écran sur un côté
ZZ	Shield on both sides	Tapas en las dos caras	Protetor nas duas faces	Écrans sur les deux côtés
RS	Rubbing seal on one side	Tapa retén en una cara	Protetor nas duas faces	Joint à frottement sur un côté
2RS	Rubbing seals on both sides	Tapa retén en las dos caras	Retentor nas duas faces	Joints à frottement sur les deux côtés
M	Machined brass cage	Jaula de latón	Gaiola de latão	Cage en laiton usinée
N	Snap ring groove in outer ring	Ranura y anillo elástico en aro exterior	Canal e trava no aro externo	Rainure pour segment d'arrêt sur la bague extérieure
NR	Snap ring groove and snap ring in outer ring	Ranura, anillo elástico y arandela de seguridad en aro exterior	Canal com trava de segurança no aro exterior	Rainure pour segment d'arrêt et segment d'arrêt sur la bague extérieure
C3	Internal clearance greater than normal	Juego radial mayor que el normal	Folga radial maior que o normal	Jeu interne supérieur à la normale

FA	Front axle	Eje delantero	Eixo traseiro	Essieux avant
LA	Leading axle	Eje motriz	Eixo motriz	Essieu poussé
RA	Rear axle	Eje trasero	Eixo dianteiro	Essieu arrière
TA	Trailing axle	Eje de arrastre	Eixo de arraste	Essieu traîné
TRA	Trailer axle	Eje de trailer	Eixo de reboque	Essieu de remorque

	DE	PL	RU	AR
	Differential	Mechanizm różnicowy	Дифференциал	قرص تقاضلي
	Getriebe	Skrzynia biegów	Коробка передач	علبة التروس
	Rad	Koło	Колесо	عجلة
	Anhänger	Przyczepa	Прицеп	مقطورة
	LKW	Ciężarówka	Грузовик	شاحنة
	Bus	Autobus	Автобус	حافلة
	OEM-Quervergleiche	Odnosiniki OEM	Перевод на маркировку производителя	مراجع متبادلة لمصنع المعدات الأصلية
*	Verfügbarkeit muss bestätigt werden	Informacje dotyczące dostępności poda producent	Наличие уточняется	الإتاحة للاستشارة
	Achspannung	Położenie osi	Позиция моста	موضع المحور
	Information	Informacje	Информация	المعلومات
	WHU (Radnabeneinheit)	WHU (zestaw piast koła)	Ступица	WHU (محول العجلة)
	Innen	Wewnętrzny	Внутри	داخلي
	Außen	Zewnętrzny	Снаружи	خارجي


Z	Deckel auf einer Seite	Oslona z jednej strony	Защитная шайба с одной стороны	درع في جانب واحد
ZZ	Deckel auf beiden Seiten	Oslony po obu stronach	Защитные шайбы с обеих сторон	درعان على كلا الجانبين
RS	Schleifende Dichtung auf einer Seite	Uszczelnienie cierne po jednej stronie	Резиновое уплотнение с одной стороны	مانع تسريب احتكاك على جانب واحد
2RS	Schleifende Dichtungen auf beiden Seiten	Uszczelnienia cierne po obu stronach	Резиновое уплотнение с обеих сторон	مانعي تسريب احتكاك على كلا الجانبين
M	Messingkäfig	Rowek na pierścieniu zewnętrznym	Механически обработанный латунный сепаратор	قفص نحاس آلي
N	Sprengtringnut im Außenring	Rowek smarowy na pierścieniu zewnętrznym	Канавка под стопорное кольцо на наружном кольце	محاذاة تجويف حلقة الإطباق في الحلقة الخارجية
NR	Sprengtringnut und Sprenging im Außenring	Rowek i zabezpieczający pierścień sprężynujący na pierścieniu zewnętrznym	Канавка со стопорным кольцом на наружном кольце	محاذاة حلقة الإطباق وحلقة الإطباق في الحلقة الخارجية
C3	Radialspiel größer als normal	Luz wewnętrzny większy niż normalny	Внутренний зазор, превышающий стандартный	الخلوص الداخلي أكبر من المعدل الطبيعي

FA	Vorderachse	Oś przednia	Передний мост	المحور الأمامي
LA	Vorlaufachse	Oś prowadząca	Ведущий мост	محور القيادة الأمامي
RA	Hinterachse	Oś tylna	Задний мост	المحور الخلفي
TA	Hinterachse	Oś tylna	Поддерживающий мост	محور السحب الخلفي
TRA	Anhängerschaft	Oś przyczepy	Мост прицепа	محور المقطورة

1 \

DIFFERENTIAL

VOLVO	Pg\
DR80	12
EV21	12
EV35	12
EV37	12
EV71	12
EV72	12
EV76	13
EV78	13
EV80	13
EV80B	13
EV81	13
EV81B	13
EV81C	13
EV82	14
EV82B	14
EV82FR	14
EV85B	14
EV87	15
EV90	15
EV91	15
RS1228B	15
RS1344B	15
RS1344SV	15
RS1352 HV	15
RS1356 SV	16
RS1370 HV	16
RS0818	16
RSS1332A	16
RSS1344B	16
RSS1344C	16
RSS1360	16
RT2610 HV	17
RT3210 HV	17
RTH2610B	17
RTS2370A	17
RTS2370B	18
TS80	18
TS81	18



1 \ Differential

POSITION	Fersa	OEM
VOLVO		
DR80		
Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913843/H 913810	184635
Bevel pinion pilot	NUP 2212 FP/C3	183703
Reduction shaft right	*	183676/183831
Reduction shaft left	H 715345/H 715311	384267/384266
Differential right	687/672	181596/181279
Differential left	687/672	181596/181279
EV21		
Bevel pinion front	HM 88542/HM 88510	183644/183645
Bevel pinion rear	HM 807040/HM 807010	181166/181167
Differential right	469/453 X	18416
Differential left	469/453 X	18416
EV35		
Bevel pinion front	HM 804843/HM 804810	184098
Bevel pinion rear	*	184097/184096
Differential right	3984/3920	11148
Differential left	3984/3920	11148
EV37		
Bevel pinion front	*	184739
Bevel pinion rear	*	184739
Bevel pinion pilot	*	19464
Differential right	33275/33472	184738
Differential left	498/493	184737
EV71 <i>Ratio 3,61/1, 1,04/1</i>		
Bevel pinion front	*	1523636
Bevel pinion rear	31316 F	181400
Differential right	32017 XF	184623
Differential left	30217 F	18459
EV71 <i>Ratio 3,76/1, 4,12/1, 4,55/1, 5,41/1, 1,09/1, 1,19/1, 1,32/1, 1,56/1, 2,08/1</i>		
Bevel pinion front	31312 F	181609
Bevel pinion rear	31316 F	181400
Differential right	32017 XF	184623
Differential left	30217 F	18459
EV72		
Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	31315 F	181396
Differential right	30217 F	18459
Differential left	32017 XF	184623
Input shaft front	30214 F	11071
Output shaft front	32015 XF	183735
Output shaft front	32015 XF	184068
Output shaft rear	6310	11028
Differential shaft	*	181632
Differential shaft	*	183788

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

EV76

Bevel pinion front	72212 C/72487	184753
Bevel pinion rear	H 715332/H 715311	6795542
Bevel pinion pilot	*	6790140
Differential right	32020 XF	184625
Differential left	32020 XF	184625

EV78

Bevel pinion front	72212 C/72487	184753
Bevel pinion rear	H 715332/H 715311	6795542
Bevel pinion pilot	*	6790140
Differential right	32020 XF	184625
Differential left	32020 XF	184625

EV80

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913843/H 913810	184635
Bevel pinion pilot	F 19112	1524331
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128

EV80B

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913843/H 913810	184635
Bevel pinion pilot	F 19112	1524331
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128

EV81

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913843/H 913810	184635
Bevel pinion pilot	NUP 2212 FP/C3	183703
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128

EV81B

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913843/H 913810	184635
Bevel pinion pilot	NUP 2212 FP/C3	183703
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128

EV81C

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913843/H 913810	184635
Bevel pinion pilot	NUP 2212 FP/C3	183703
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

EV82

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913842/H 913810	184634
Bevel pinion rear	H 913842/H 913810	184634
Bevel pinion pilot	F 19112	1524331
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128
Input shaft front	6312	11030
Output shaft front	6310	11028
Output shaft front	497/493	181048/19276
Intermediate gear front	25590/25520	181133/183133
Intermediate gear rear	25590/25520	181133/183133

EV82B

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913842/H 913810	184634
Bevel pinion rear	H 913842/H 913810	184634
Bevel pinion pilot	F 19112	1524331
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128
Input shaft front	6312	11030
Output shaft front	6310	11028
Output shaft front	497/493	181048/19276
Intermediate gear front	25590/25520	181133/183133
Intermediate gear rear	25590/25520	181133/183133

EV82FR

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	H 913842/H 913810	184634
Bevel pinion rear	H 913842/H 913810	184634
Bevel pinion pilot	F 19112	1524331
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128
Input shaft front	6312	11030
Output shaft front	6310	11028
Output shaft front	497/493	181048/19276
Intermediate gear front	25590/25520	181133/183133
Intermediate gear rear	25590/25520	181133/183133

EV85B

Bevel pinion front	H 913842/H 913810	184634
Bevel pinion rear	9285/9220	184636
Bevel pinion pilot	F 19003	183688
Bevel pinion pilot	F 19063	1523540
Differential right	687/672	184637/181279
Differential left	687/672	184637/181279

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

EV87

Bevel pinion front	HM 911245/HM 911210	184633/184115
Bevel pinion rear	31315 F	181396
Bevel pinion pilot	F 19112	1524331
Differential right	594/592 A	181298/181128
Differential left	594/592 A	181298/181128
Input shaft front	30214 F	11071
Input shaft rear	32015 XF	184068
Inter-axle differential	*	181632
Inter-axle differential	*	183788
Output shaft front	6310	11028

EV90

Bevel pinion front	JW 7049/JW 7010	184671
Bevel pinion rear	F 15071	1523666
Bevel pinion pilot	F 19080	1523243
Differential right	687/672	181596/181279
Differential left	687/672	181596/181279

EV91

F-Box Rebuild kit	FDRK EV91	
Bevel pinion front	JW 7049/JW 7010	184671
Bevel pinion rear	F 15071	1523666
Bevel pinion pilot	F 19080	1523243
Differential right	687/672	181596/181279
Differential left	687/672	181596/181279

RS1228B

F-Box Rebuild kit	FDRK U177-VOLVO	
Bevel pinion	F 15321	20366532
Bevel pinion pilot	F 19063	20366533
Differential right	32021 XF	20582548
Differential left	F 15279	20582549

RS1344B

Bevel pinion	F 15321	20366532
Bevel pinion pilot	F 19080	81241405
Differential right	64450/64700	81241411
Differential left	33021 F	3152068

RS1344SV

Bevel pinion front	*	81241461
Bevel pinion rear	F 15361	81241402
Bevel pinion pilot	F 19080	81241405
Differential right	64450/64700	81241411
Differential left	33021 F	3152068

RS1352 HV

Bevel pinion front	31314 F	1673537
Bevel pinion rear	31318 F	1524926
Differential right	32217 F	1524857
Differential left	32017 XF	184623

1 \ Differential

POSITION	Fersa	OEM
VOLVO		
RS1356 SV		
F-Box Rebuild kit	FDRK EV91	
Bevel pinion front	JW 7049/JW 7010	184671
Bevel pinion rear	F 15071	1523666
Bevel pinion pilot	F 19080	1523243
Differential right	687/672	181596/181279
Differential left	687/672	181596/181279
RS1370 HV		
Bevel pinion front	31314 F	1673537
Bevel pinion rear	31318 F	1524926
Differential right	32217 F	1524857
Differential left	32017 XF	184623
RS0818		
Bevel pinion rear	55175 C/55437	184792
Differential right	3984/3920	11148
RSS1332A		
Bevel pinion front	*	8127813
Bevel pinion rear	*	8127813
Bevel pinion pilot	F 19033	8172961
Differential right	F 15279	20582549
Differential left	32021 XF	20582548
RSS1344B		
F-Box Rebuild kit	FDRK U177-VOLVO	
Bevel pinion	F 15321	20366532
Bevel pinion pilot	F 19063	20366533
Differential right	32021 XF	20582548
Differential left	F 15279	20582549
RSS1344C		
F-Box Rebuild kit	FDRK MS17X	
Bevel pinion front	F 15366	21275836
Bevel pinion rear	F 15367	21275834
Bevel pinion pilot	F 19063	20366533
Differential right	32021 XF	20582548
Differential left	32024 XF	20853752
RSS1360		
Bevel pinion front	31314 F	1673537
Bevel pinion rear	F 15071	1523666
Bevel pinion pilot	*	20958949
Differential right	33021 F	21631346
Differential left	32026 XF	30957385

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

RT2610 HV

Bevel pinion front	HM 911245/HM 911210	184633
Bevel pinion rear	31315 F	181396
Differential right	32217 F	1524857
Differential left	32017 XF	184623
Input shaft front	33214 F	1524058
Input shaft rear	*	1524879
Output shaft front	32016 XF	1524061
Output shaft rear	32010 XF	1524988
Differential shaft	*	181632
Differential shaft	F 17063 K	1524881

RT3210 HV

Bevel pinion front	HM 911245/HM 911210	184633
Bevel pinion rear	31315 F	181396
Differential right	32217 F	1524857
Differential left	32017 XF	184623
Input shaft front	33214 F	1524058
Input shaft rear	*	1524879
Output shaft front	32016 XF	1524061
Output shaft rear	32010 XF	1524988
Differential shaft	*	181632
Differential shaft	F 17063 K	1524881

RTH2610B

Bevel pinion front	HM 911245/HM 911210	184633
Bevel pinion rear	31315 F	181396
Differential right	32217 F	1524857
Differential left	32017 XF	184623
Input shaft front	33214 F	1524058
Input shaft rear	*	1524879
Output shaft front	32016 XF	1524061
Output shaft rear	32010 XF	1524988
Differential shaft	*	181632
Differential shaft	F 17063 K	1524881

RTS2370A

Intermediate

F-Box Rebuild kit (without needle bearings)	FDRK RTS2370 INTERM	
Bevel pinion front	65237/65500	20508274
Bevel pinion rear	F 15291	20551283
Differential right	F 15279	20582549
Differential left	32021 XF	20582548
Input shaft front	33214 F	1524058
Input shaft rear	*	1524879
Output shaft front	32016 XF	1524061
Output shaft rear	LM 104949/JLM 104910	85104619
Differential shaft	*	181632
Differential shaft	F 17063 K	1524881

1 \ Differential

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

RTS2370A		Rear
F-Box Rebuild kit	FDRK RTS2370 REAR	
Bevel pinion	F 15371	8172960
Bevel pinion pilot	F 19033	8172961
Differential right	F 15279	20582549
Differential left	32021 XF	20582548

RTS2370B		Intermediate
F-Box Rebuild kit (without needle bearings)	FDRK RTS2370 INTERM	
Bevel pinion front	65237/65500	20508274
Bevel pinion rear	F 15291	20551283
Differential right	F 15279	20582549
Differential left	32021 XF	20582548
Input shaft front	33214 F	1524058
Input shaft rear	*	1524879
Output shaft front	32016 XF	1524061
Output shaft rear	LM 104949/JLM 104910	85104619
Differential shaft	*	181632
Differential shaft	F 17063 K	1524881

RTS2370B		Rear
F-Box Rebuild kit	FDRK RTS2370 REAR	
Bevel pinion	F 15371	8172960
Bevel pinion pilot	F 19033	8172961
Differential right	F 15279	20582549
Differential left	32021 XF	20582548

TS80		Rear
Bevel pinion front	*	181044/181045
Bevel pinion rear	*	181044/181045
Bevel pinion pilot	*	181073
Differential right	497/493	181048/19276
Differential left	56425/56650	181050/181051

TS81		Rear
Bevel pinion front	*	6631199/6631198
Bevel pinion rear	*	6631199/6631198
Bevel pinion pilot	*	181073
Differential right	497/493	181048/19276
Differential left	56425/56650	181050/181051





2 \

GEARBOX

VOLVO	Pg\
AT2412C	22
AT2412D	22
AT2512C	23
AT2612D	24
AT2812C	24
ATO2512C	25
ATO2612D	26
ATO3112C	26
ATO3112D	27
G7	28
G8	28
MR61	28
MR62	28
MR62B	29
PT2106	29
R1000	29
R1400	29
R1500	30
R1700	30
R1900	30
R51	31
R52	31
R52B	31
R61	32
R62	32
R70	32
R800	33
SR1400	33
SR1700	33
SR1900	34
SR2000	34
SR2400	34
SR61	35
SR62	35
SR70	35
SR71	36
SRO2000	36
SRO2400	36
ST700	37
T600	37

VOLVO	Pg\
T700	37
VT 1708 B	37
VT 2009 B	38
VT 2014 B	38
VT 2214 B	38
VT 2412 B	39
VT 2514	39
VT 2514 B	39
VT 2814 B	40
VTO 2214 B	40
VTO 2514 B	40
VTO 2514 OD	41
VTO 2814 B	41



POSITION	Fersa	OEM
----------	-------	-----

VOLVO

AT2412C		Early Planet (70mm O/S Brg.)
F-Box Rebuild kit	FTRK 510 OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

AT2412C		Late Planet (80mm O/S Brg.)
F-Box Rebuild kit	FTRK 510A OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

AT2412D		Early Planet (70mm O/S Brg.)
F-Box Rebuild kit	FTRK 510 OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

AT2412D

Late Planet (80mm O/S Brg.)

F-Box Rebuild kit	FTRK 510A OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

AT2512C

Early Planet (70mm O/S Brg.)

F-Box Rebuild kit	FTRK 511 OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

AT2512C

Late Planet (80mm O/S Brg.)

F-Box Rebuild kit	FTRK 511A OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

AT2612D		Early Planet (70mm O/S Brg.)
F-Box Rebuild kit	FTRK 511 OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

AT2612D		Late Planet (80mm O/S Brg.)
F-Box Rebuild kit	FTRK 511A OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18059	20785448

AT2812C		Early Planet (70mm O/S Brg.)
F-Box Rebuild kit	FTRK 511 OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

AT2812C		Late Planet (80mm O/S Brg.)
F-Box Rebuild kit	FTRK 511A OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

AT02512C		Early Planet (70mm O/S Brg.)
F-Box Rebuild kit	FTRK 510 OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

AT02512C		Late Planet (80mm O/S Brg.)
F-Box Rebuild kit	FTRK 510A OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

ATO2612D		Early Planet (70mm O/S Brg.)
F-Box Rebuild kit	FTRK 510 OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

ATO2612D		Late Planet (80mm O/S Brg.)
F-Box Rebuild kit	FTRK 510A OB	
Input shaft front	F 15345	21626063
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15347	1652099
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

ATO3112C		Early Planet (70mm O/S Brg.)
F-Box Rebuild kit	FTRK 511 OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

ATO3112C

Late Planet (80mm O/S Brg.)

F-Box Rebuild kit	FTRK 511A OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

ATO3112D

Early Planet (70mm O/S Brg.)

F-Box Rebuild kit	FTRK 511 OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (With Retarder)	F 18053	1652604

ATO3112D

Late Planet (80mm O/S Brg.)

F-Box Rebuild kit	FTRK 511A OB	
Input shaft front	F 15326	21626057
Input shaft	F 17094 K	1654088
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft	F 17092 K	1521452
Main shaft rear	F 15326	21626057
Counter shaft front	F 15348	1652563
Counter shaft rear	F 15346	20901349
Reverse shaft	F 17105 K	20483574
Output shaft (Without Retarder)	F 18059	20785448

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

G7

Input shaft front	33208 F	18459
Input shaft (From Gearbox 3397)	CONE JF 4549	1656104
Input shaft (Up to Gearbox 3396)	30217 F	184679
Main shaft	*	1652123
Main shaft	*	1652261
Main shaft	F 17095 K	1652575
Main shaft	*	1655563
Counter shaft front	33212 F	1652563
Counter shaft rear	32212 F	1652099
Reverse shaft	*	1652147
Output shaft (With Electro-Retarder)	*	1669258
Output shaft (Without Retarder)	F 18053	1652604

G8

Input shaft front	30217 F	18459
Main shaft front (From Gearbox 3397)	CONE JF 4549	1656104
Main shaft front (Up to Gearbox 3396)	33208 F	184679
Main shaft	*	1652123
Main shaft	*	1652261
Main shaft	F 17095 K	1652575
Main shaft	*	1655563
Counter shaft front	33212 F	1652563
Counter shaft rear	32212 F	1652099
Reverse shaft	*	1652147
Output shaft (With Electro-Retarder)	*	1669258
Output shaft (Without Retarder)	F 18053	1652604

MR61

Input shaft front	6205 2RS	181335
Input shaft rear	*	183593
Main shaft front	*	183258
Main shaft rear	F 19105	1527510
Reverse shaft	*	181563
Reverse shaft	*	183588
Output shaft front	*	183258
Output shaft rear	*	183593
Free wheel front	16014	181716
Free wheel rear	*	183549
Turbine shaft rear	*	16015
Turbine wheel	*	183490
Support shaft	*	183489

MR62

Input shaft	*	183593
Main shaft front	*	183258
Main shaft	*	183988
Main shaft	*	183989
Main shaft rear	F 19105	1527510
Counter shaft front	*	1526061
Counter shaft front	NUP 311 FMNR/C3	1526063

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

MR62

Counter shaft rear	*	183360
Counter shaft rear	*	183596
Reverse shaft	*	181563
Reverse shaft	*	183588
Reverse shaft	F 17002 K	1526190
Output shaft front	*	183258
Output shaft	*	183993
Output shaft rear	*	183593

MR62B

Input shaft	*	183593
Main shaft front	*	183258
Main shaft	*	183988
Main shaft	*	183989
Main shaft rear	F 19105	1527510
Counter shaft front	*	1526061
Counter shaft front	NUP 311 FMNR/C3	1526063
Counter shaft rear	*	183360
Counter shaft rear	*	183596
Reverse shaft	*	181563
Reverse shaft	*	183588
Reverse shaft	F 17002 K	1526190
Output shaft front	*	183258
Output shaft	*	183993
Output shaft rear	*	183593

R1000

Input shaft	30217 F	18459
Main shaft front	33208 F	1652127
Main shaft	*	183363
Main shaft	*	1652135
Main shaft	*	1652139
Main shaft	*	1652261
Main shaft rear	*	1652123
Counter shaft front	32212 F	1652099
Counter shaft rear	32212 F	1652099
Reverse shaft	*	1652147
Output shaft front	*	1652600
Output shaft rear	F 18053	1652604

R1400

Input shaft	30314 F	1522556
Input shaft	30314 F	1656100
Main shaft front	F 19065	1652559
Main shaft front	CONE JF 4549	1656104
Main shaft	*	183363
Main shaft	*	1652572
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	*	1652553

POSITION	Fersa	OEM
VOLVO		
R1400		
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft front	*	1652600
Output shaft rear	F 18053	1652604
R1500		
Input shaft	30217 F	1652119
Main shaft front	CONE JF 4549	1656104
Main shaft	*	183363
Main shaft	*	1652261
Main shaft	F 17095 K	1652575
Main shaft	*	1655563
Main shaft rear	*	1652123
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652099
Reverse shaft	*	1652147
Output shaft	F 18053	1652604
R1700		
Input shaft	30314 F	1522556
Input shaft	30314 F	1656100
Main shaft front	F 19065	1652559
Main shaft front	CONE JF 4549	1656104
Main shaft	*	183363
Main shaft	*	1652572
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	*	1652553
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft front	*	1652600
Output shaft rear	F 18053	1652604
R1900		
Input shaft	30314 F	1656100
Main shaft front	CONE JF 4549	1656104
Main shaft	*	183363
Main shaft	*	1652572
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

R51

Input shaft	*	1526960
Main shaft front	*	183257
Main shaft	F 17090 K	183987
Main shaft	F 17090 K	183987
Main shaft	*	183988
Main shaft rear	*	1527507
Counter shaft front	NUP 309 FN/C3	184164
Counter shaft front	*	1526058
Counter shaft rear	NJ 310 FM	183375
Counter shaft rear	*	183595
Reverse shaft	*	181556
Reverse shaft	6309 C3	183592
Reverse shaft	*	1526477
Output shaft front	*	183257
Output shaft	*	183708
Output shaft rear	6312 NR/C3	183590

R52

Input shaft	*	1526960
Main shaft front	*	183257
Main shaft	F 17090 K	183987
Main shaft	F 17090 K	183987
Main shaft	*	183988
Main shaft rear	*	1527507
Counter shaft front	NUP 309 FN/C3	184164
Counter shaft front	*	1526058
Counter shaft rear	NJ 310 FM	183375
Counter shaft rear	*	183595
Reverse shaft	*	181556
Reverse shaft	6309 C3	183592
Reverse shaft	*	1526477
Output shaft front	*	183257
Output shaft	*	183708
Output shaft rear	6312 NR/C3	183590

R52B

Input shaft	*	1526960
Main shaft front	*	183257
Main shaft	F 17090 K	183987
Main shaft	F 17090 K	183987
Main shaft	*	183988
Main shaft rear	*	1527507
Counter shaft front	NUP 309 FN/C3	184164
Counter shaft front	*	1526058
Counter shaft rear	NJ 310 FM	183375
Counter shaft rear	*	183595
Reverse shaft	*	181556
Reverse shaft	6309 C3	183592
Reverse shaft	*	1526477

POSITION	Fersa	OEM
VOLVO		
R52B		
Output shaft front	*	183257
Output shaft	*	183708
Output shaft rear	6312 NR/C3	183590
R61		
Input shaft	*	183593
Main shaft front	*	183258
Main shaft	*	183988
Main shaft	*	183989
Main shaft rear	F 19105	1527510
Counter shaft front	*	1526061
Counter shaft front	NUP 311 FMNR/C3	1526063
Counter shaft rear	*	183360
Counter shaft rear	*	183596
Reverse shaft	*	181563
Reverse shaft	*	183588
Reverse shaft	F 17002 K	1526190
Output shaft front	*	183258
Output shaft	*	183993
Output shaft rear	*	183593
R62		
Input shaft	*	183593
Main shaft front	*	183258
Main shaft	*	183988
Main shaft	*	183989
Main shaft rear	F 19105	1527510
Counter shaft front	*	1526061
Counter shaft front	NUP 311 FMNR/C3	1526063
Counter shaft rear	*	183360
Counter shaft rear	*	183596
Reverse shaft	*	181563
Reverse shaft	*	183588
Reverse shaft	F 17002 K	1526190
Output shaft front	*	183258
Output shaft	*	183993
Output shaft rear	*	183593
R70		
Input shaft	*	1527413
Main shaft front	*	1526385
Main shaft	*	1527316
Main shaft rear	*	1527413
Counter shaft front	39580/39520	184088
Counter shaft	*	1527316
Counter shaft	*	1527316
Counter shaft rear	39580/39520	184088
Reverse shaft	JLM 104948/JLM 104910	183430
Reverse shaft	JLM 104948/JLM 104910	183430
Reverse shaft	*	1526391
Reverse shaft	*	1526391

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

R70

Output shaft front	*	267974
Output shaft rear	6217 C3	184413
Fork	*	183452
Fork	*	184414

R800

Input shaft	45285 A/45221	1699880
Input and main shaft	*	1699917
Main shaft rear	33885/33822	3121635
Counter shaft front	6309 C3	183592
Counter shaft rear	2789/2729	1698993
Output shaft	*	3094018

SR1400

Input shaft	*	1652553
Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	F 19065	1652559
Main shaft front	CONE JD 6549	1652611
Main shaft front	CONE F 15150 A	1656116
Main shaft	*	1652572
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	*	1652553
Main shaft rear	CONE JD 6549	1652611
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft front	*	1652600
Output shaft rear	F 18053	1652604

SR1700

Input shaft	*	1652553
Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	F 19065	1652559
Main shaft front	CONE JD 6549	1652611
Main shaft front	CONE F 15150 A	1656116
Main shaft	*	1652572
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	*	1652553
Main shaft rear	CONE JD 6549	1652611
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft front	*	1652600
Output shaft rear	F 18053	1652604

POSITION	Fersa	OEM
VOLVO		
SR1900		
Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE JD 6549	1652611
Main shaft front	CONE F 15150 A	1656116
Main shaft	*	1652572
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	CONE JD 6549	1652611
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft front	*	1652600
Output shaft rear	F 18053	1652604
SR2000		
Input shaft	*	1652553
Input shaft	F 17094 K	1654088
Main shaft front	F 19065	1652559
Main shaft front	CONE JD 6549	1652611
Main shaft rear	CONE JD 6549	1652611
Main shaft rear	*	1654070
Counter shaft front	33214 F	1654326
Counter shaft	*	1654073
Counter shaft	*	1654085
Counter shaft rear	JF 6049/JF 6010	20901349
Reverse shaft	*	1654076
Reverse shaft	33110 F	1654323
Reverse shaft	33110 F	1654323
Output shaft front	*	1654082
Output shaft rear	6217 C3	184413
Fork	*	183452
SR2400		
Input shaft	*	1652553
Input shaft	F 17094 K	1654088
Main shaft front	F 19065	1652559
Main shaft front	CONE JD 6549	1652611
Main shaft rear	CONE JD 6549	1652611
Main shaft rear	*	1654070
Counter shaft front	33214 F	1654326
Counter shaft	*	1654073
Counter shaft	*	1654085
Counter shaft rear	JF 6049/JF 6010	20901349
Reverse shaft	*	1654076
Reverse shaft	33110 F	1654323
Reverse shaft	33110 F	1654323
Output shaft front	*	1654082
Output shaft rear	6217 C3	184413
Fork	*	183452

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

SR61

Input shaft	*	183990
Input shaft	*	1526601
Splitter	NUP 311 FMNR/C3	1526063
Main shaft front	F 19106	1526561
Main shaft	*	183258
Main shaft	*	183358
Main shaft	*	183988
Main shaft	*	183989
Main shaft rear	F 19105	1527510
Counter shaft front	*	183855
Counter shaft front	*	1526061
Counter shaft rear	*	183360
Counter shaft rear	*	183596
Reverse shaft	*	181563
Reverse shaft	*	183588
Reverse shaft	F 17002 K	1526190
Output shaft front	*	183258
Output shaft	*	183993
Output shaft rear	*	183593

SR62

Input shaft	*	183990
Input shaft	*	1526601
Splitter	NUP 311 FMNR/C3	1526063
Main shaft front	F 19106	1526561
Main shaft	*	183258
Main shaft	*	183988
Main shaft	*	183989
Main shaft	*	184084
Main shaft rear	F 19105	1527510
Counter shaft front	*	183855
Counter shaft front	*	1526061
Counter shaft rear	*	183360
Counter shaft rear	*	183596
Reverse shaft	*	181563
Reverse shaft	*	183588
Reverse shaft	F 17002 K	1526190
Output shaft front	*	183258
Output shaft	*	183993
Output shaft rear	*	183593

SR70

Input shaft	*	1526184
Input shaft	*	1527268
Main shaft front	*	1526385
Main shaft	33013 F	183766
Main shaft rear	*	1527413
Counter shaft front	39580/39520	184088
Counter shaft	*	1527316
Counter shaft	*	1527316

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

SR70

Counter shaft rear	39580/39520	184088
Reverse shaft	JLM 104948/JLM 104910	183430
Reverse shaft	JLM 104948/JLM 104910	183430
Reverse shaft	*	1526391
Reverse shaft	*	1526391
Output shaft front	*	267974
Output shaft rear	6217 C3	184413
Fork	*	183452

SR71

Input shaft	*	1526184
Input shaft	*	1527268
Main shaft front	*	1526385
Main shaft	33013 F	183766
Main shaft rear	*	1527413
Counter shaft front	39580/39520	184088
Counter shaft	*	1527316
Counter shaft	*	1527316
Counter shaft rear	39580/39520	184088
Reverse shaft	JLM 104948/JLM 104910	183430
Reverse shaft	JLM 104948/JLM 104910	183430
Reverse shaft	*	1526391
Reverse shaft	*	1526391
Output shaft front	*	267974
Output shaft rear	6217 C3	184413
Fork	*	183452

SRO2000

Input shaft	*	1652553
Input shaft	F 17094 K	1654088
Main shaft front	F 19065	1652559
Main shaft front	CONE JD 6549	1652611
Main shaft rear	CONE JD 6549	1652611
Main shaft rear	*	1654070
Counter shaft front	33214 F	1654326
Counter shaft	*	1654073
Counter shaft	*	1654085
Counter shaft rear	JF 6049/JF 6010	20901349
Reverse shaft	*	1654076
Reverse shaft	33110 F	1654323
Reverse shaft	33110 F	1654323
Output shaft front	*	1654082
Output shaft rear	6217 C3	184413
Fork	*	183452

SRO2400

Input shaft	*	1652553
Input shaft	F 17094 K	1654088
Main shaft front	F 19065	1652559
Main shaft front	CONE JD 6549	1652611

POSITION	Fersa	OEM
VOLVO		
SRO2400		
Main shaft rear	CONE JD 6549	1652611
Main shaft rear	*	1654070
Counter shaft front	33214 F	1654326
Counter shaft	*	1654073
Counter shaft	*	1654085
Counter shaft rear	JF 6049/JF 6010	20901349
Reverse shaft	*	1654076
Reverse shaft	33110 F	1654323
Reverse shaft	33110 F	1654323
Output shaft front	*	1654082
Output shaft rear	6217 C3	184413
Fork	*	183452
ST700		
Input shaft	*	3121521
Main shaft front	CONE F 15101	3121671
Main shaft	*	3121670
Main shaft rear	476/472	3123328
Counter shaft front	33885/33822	3121635
Counter shaft rear	33885/33822	3121635
Reverse shaft	*	3093888
T600		
Input shaft	NUP 213 FPNR/C3	184571
Main shaft rear	NUP 310 FNR/C3	184567
Counter shaft front	33208 F	1652127
Counter shaft rear	33208 F	1652127
T700		
Input shaft	JM 612949/JM 612910	183418
Main shaft front	CONE F 15101	3121671
Main shaft rear	476/472	3123328
Counter shaft front	33889/33822	6635263
Counter shaft rear	33885/33822	3121635
VT1708B		
Input shaft	30217 F	1652119
Main shaft front	CONE JF 4549	1656104
Main shaft	*	1652261
Main shaft	F 17095 K	1652575
Main shaft	*	1655563
Main shaft rear	*	1652123
Counter shaft front	33212 F	1652563
Counter shaft rear	32212 F	1652099
Reverse shaft	*	183363
Reverse shaft	*	1652147
Output shaft	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

VT2009B

Input shaft (For input shaft 20483783)	30217 F	18459
Input shaft	30217 F	1652119
Input shaft (For input shaft 20366321)	30314 F	1656100
Main shaft front	CONE JF 4549	1656104
Main shaft	F 17092 K	1521452
Main shaft	*	1521597
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	32212 F	1652099
Reverse shaft	*	183363
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

VT2014B

Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Input shaft front	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft rear	F 15116	1656129
Output shaft rear	F 18053	1652604
Input shaft	F 17094 K	1654088
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17091 K	1521453
Main shaft	F 17092 K	1521452
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Reverse shaft	F 17093 K	1652581
Reverse shaft	*	183363

VT2214B

F-Box Rebuild kit	FTRK VT2214B	
Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

VT2412B

Input shaft	F 17094 K	1654088
Input shaft	30217 F	3192193
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17092 K	1521452
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	30217 F	3192193
Counter shaft front	32212 F	1652099
Counter shaft rear	33212 F	1652563
Reverse shaft	*	183363
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

VT2514

Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	*	183363
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

VT2514B

Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	*	183363
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

VT2814B

Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

VT02214B

Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	*	183363
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

VT02514B

Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	*	183363
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

POSITION	Fersa	OEM
----------	-------	-----

VOLVO

VT025140D

Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	*	183363
Reverse shaft	F 17093 K	1652581
Output shaft	F 18053	1652604

VT02814B

Input shaft	F 17094 K	1654088
Input shaft	F 15116	1656129
Main shaft front	CONE F 15150 A	1656116
Main shaft intermediate	CONE 33113 F	1521596
Main shaft intermediate	CONE 33113 F	1521596
Main shaft	F 17092 K	1521452
Main shaft	F 17091 K	1521453
Main shaft	F 17095 K	1652575
Main shaft	F 17095 K	1652575
Main shaft rear	F 15116	1656129
Counter shaft front	33212 F	1652563
Counter shaft rear	33212 F	1652563
Reverse shaft	F 17093 K	1652581



3 \

WHEEL END

	Pg\
B 6	44
B 7	44
B 10	44
B 12	44
7700	44
8500	44
8700	44
9700	45
9900	45

	Pg\
FL 6	46
FL 7	46
FM 7	48
FS 7	48
FM 9	48
F 10	48
FL 10	50
F 12	51
FH 12	53
FL 12	53
FM 12	53
NH 12	54
F 16	54
FH 16	54
FE	55
FH	55
FLC	56
FM	56



3 \ Wheel end

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

B 6

B6R, B6LE B6LE	FA				33208 F
	RA				39590/39520
B6R, B6LE, B6R	FA		F 200013		
	RA		F 200014		

B 7

B 7	FA				39580/39520
	RA			683/672	663/653

B 10

B10M	FA	Grease lubrication		6386/6320	537/532 X
	FA	Oil lubrication			39580/39520
	RA	Steering axle			39580/39520
	RA + TA				39580/39520
	RA	Rigid Axle		683/672	663/653

B 12

B 12	RA + TA	350001-351315			39580/39520
------	---------	---------------	--	--	-------------

7700

7700	FA	Equipament variant B12B			39580/39520
	FA	Equipament variant B12B, Rigid Axle // Equipament variant B7R // Equipament variant B9L	F 200013		
	RA	Equipament variant B12B // Equipament variant B7R	F 200014		
	RA	Equipament variant B9L	F 200004		
	RA + TA	Equipament variant B12B, Rigid Axle	F 200013		
	RA + TA	Equipament variant B9L	F 200004		

8500

8500	FA	Equipament variant B12B			39580/39520
	FA	Equipament variant B7R // Equipament variant B9L // Equipament variant B12B, Rigid Axle	F 200013		
	RA	Equipament variant B7R // Equipament variant B12B, Rigid Axle	F 200014		
	RA	Equipament variant B9L	F 200004		
	RA + TA	Equipament variant B12B, Rigid Axle	F 200013		
	RA + TA	Equipament variant B9L	F 200004		

8700

8700	FA	Equipament variant B12B			39580/39520
	FA	Equipament variant B7R // B9L // B12B, Rigid Axle	F 200013		
	RA	Equipament variant B7R // B12B, Rigid Axle	F 200014		
	RA	Equipament variant B9L	F 200004		
	RA + TA	Equipament variant B12B, Rigid Axle	F 200013		
	RA + TA	Equipament variant B9L	F 200004		



VOLVO

9700

9700	FA	Equipament variant B12B			39580/39520
	FA	Equipament variant B12B, Rigid Axle	F 200013		
	RA	Equipament variant B12B, Rigid Axle	F 200014		
	RA+TA	Equipament variant B12B, Rigid Axle	F 200013		

9900

9900	FA	Equipment variant B12B			39580/39520
	FA	Equipment variant B12B, Rigid Axle	F 200013		
	RA	Equipment variant B12B, Rigid Axle	F 200014		
	RA+TA	Equipment variant B12B, Rigid Axle	F 200013		



3 \ Wheel end

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

FL 6						
FL 608, FL 611	FA	1920001 - 1921635, 2920521 - 2921618, B100000 - B264999 // Axle load to 4,1t				33207 F
	FA	1920001-1921635, 2920521 - 2921618, B166080 - B264999 // Axle load to 4,7t				33208 F
FL 610	FA	400000 - 495167, 4,1t // 400000 - 495167, Axle load to 4,7t				33207 F
	FA	400000 - 495167, 5,0t // 400000 - 495167, Axle load to 5,6t				33208 F
FL 610, FL 611	FA	400000 - 495167				
	RA	400000 - 495167				39590/39520
	RA	400000 - 495167 // Equipment variant S-60625, S-60675, S-60714		497/492 A		32018 XF
	RA	400000-495167 // Equipment variant S-60945, S-60990, S-60993, S-61208, S-61230				33208 F
FL 611	FA	400000 495167 // Axle load to 4,7t				33207 F
	FA	400000 495167 // Axle load to 5,6t				33208 F
	RA	1920001 - 1921635, 2920521 - 2921618, B100000 - B166079 // Axle load to 4,7t				39590/39520
FL 612, FL 614, FL 615	FA	1920001 - 1920500, B100000 - B166079 // 4,7t, Equipment variant S-60677, S-60939				33207 F
	FA	1920001 - 1921635, 2920521 - 2921618, B100000 - B264999 // Axle load to 5,6t				33208 F
	RA	1920001 - 1921635, 2920521 - 2921618, B100000 - B264999 // Axle load to 5,0t				33115 F
FL 618	FA	1920501 - 1921635, 2920521 - 2921618, B166080 - B264999				39580/39520
	RA	1920501 - 1921635, 2920521 - 2921618, B166080 - B264999 // Disc Wheel	F 200014			
	RA	1920501 - 1921635, 2920521 - 2921618, B166080 - B264999 // Spoked Wheel		594/592 A		580/572
FL 619	FA	400000 - 495167				39580/39520
	RA	400000 - 495167		594/592 A		580/572
	RA + TA	400000 - 495167				39580/39520

FL 7						
FL 7/230	FA	300062 - 384897, 560007 - 599999, 800020 - 910999				39580/39520
	RA	300062 - 384897, 560007 - 599999, 800020 - 910999 // To chassis number A276370 // To chassis number C757776 // To chassis number 563542		683/672		663/653
	RA	300062 - 384897, 560007 - 599999, 800020 - 910999 // Disc Wheel // A276470 // A276491 // A276504 // A276475 - A276482 // A276493 - A276495 // From chassis number A276371 // From chassis number C757777 // From chassis number 563543	F 200014			

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

FL 7

FL 7/230	RA + TA	300062 - 384897, 560007 - 599999, 800020 - 910999 // Disc Wheel // Twin tyres	F 200014		
	RA + TA	300062 - 384897, 560007 - 599999, 800020 - 910999 // Disc Wheel // Twin tyres	F 200014		
	RA + TA	300062 - 384897, 560007 - 599999, 800020 - 910999 // Leaf spring, Disc Wheel // Spoked Wheel		683/672	663/653
	RA + TA	300062 - 384897, 560007 - 599999, 800020 - 910999 // With suspension, Disc Wheel // Spoked Wheel			39580/39520
FL 7/260	FA	300062 - 384897, 560007 - 599999, 800020 - 910999, 1200082_1200400, A220092_A299999, C750000_C799999, C880000_C880469			39580/39520
	RA	300062 - 384897, 560007 - 563542, 800020 - 910999, 1200082_1200400, A220092_A276370, C750000_C757776, C880000_C880469		683/672	663/653
	RA	563543 - 599999, A276371_299999, A276470, A276475_A276482, A276491, A276493_A276495, A276504, C757777_C799999	F 200014		
	RA + TA	300062 - 384897, 560007 - 563542, 800020 - 910999, 1200082_1200400, A220092_A276370, C750000_C757776, C880000_C880469		683/672	663/653
	RA + TA	563543 - 599999, A276371_A299999, A276470, A276475_A276482, A276491, A276493_A276495, A276504, C757777_C799999	F 200014		
	RA + TA	With suspension // 300062 384897, 560007 563542, 800020 - 910999, 1200082_1200400, A220092_A276370, C750000_C757776, C880000_C880469			39580/39520
FL 7/290	FA	1200082 - 1200400, A220092 - A299999, C750000 - C799999, C880000 - C880469			39580/39520
	RA	1200082 - 1200400, A220092 - A299999, C750000 - C799999, C880000 - C880469 // From chassis number A276370 // From chassis number C757776 // From chassis number 563542		683/672	663/653
	RA	1200082 - 1200400, A220092 - A299999, C750000 - C799999, C880000 - C880469 // Disc Wheel // A276470 // A276491 // A276504 // A276475 - A276482, // A276493 - A276495 // From chassis number A276371 // From chassis number C757777 // From chassis number 563543	F 200014		
	RA + TA	1200082 - 1200400, A220092 - A299999, C750000 - C799999, C880000 - C880469 // Disc Wheel // Twin tyres	F 200014		

3\ Wheel end

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

FL 7

FL 7/290	RA + TA	1200082 - 1200400, A220092 - A299999, C750000 - C799999, C880000 - C880469 // Leaf spring, Disc Wheel // Spoked Wheel		683/672	663/653
	RA + TA	1200082 - 1200400, A220092 - A299999, C750000 - C799999, C880000 - C880469 // With suspension, Disc Wheel, Single tyres			39580/39520

FM 7

FM 7/250, FM 7/290	FA	8800000 - 8832298, A287346 - A299999, A500000 - A544695, B237533 - B311773, C760567 - C763160, From chassis number D121218	F 200013		
	FA	8800000 - 8832298, A287346 - A299999, A500000 - A544695, B237533 - B311773, C760567 - C763160, From chassis number D121218			39580/39520
	RA	8800000 - 8832298, A287346 - A299999, A500000 - A544695, B237533 - B311773, C760567 - C763160, From chassis number D121218	F 200014		
	RA + TA	8800000 - 8832298, A287346 - A299999, A500000 - A544695, B237533 - B311773, C760567 - C763160, From chassis number D121218 // Twin tyres	F 200014		
	RA + TA	8800000 - 8832298, A287346 - A299999, A500000 - A544695, B237533 - B311773, C760567 - C763160, From chassis number D121218 // Single tyres			39580/39520

FS 7

FS 718/230, FS 718/260	FA	400000 - 495167, B100000 - B164476			39580/39520
	RA	400000 - 495167, B100000 - B164476		594/592 A	580/572
	RA + TA	400000 - 495167, B100000 - B164476			39580/39520

FM 9

FM 9/300, FM 9/340	FA		F 200013		
	FA		F 200015		
	RA		F 200014		
	RA + TA		F 200014		
	FA + LA		F 200015		
	RA + TA		F 200014		
	RA + TA		F 200013		

F 10

F 10/260	FA	314395 - 384860, 503000 - 503658			39580/39520
	RA	314395 - 384860, 503000 - 503658		683/672	
	RA	314395 - 384860, 503000 - 503658 // Disc Wheel // Spoked Wheel, Rim size 20"			663/653
	RA	314395 384860, 503000 503658 // Spoked Wheel, Rim size 24"			749 A/742

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

F 10

F 10/260	RA + TA	314395 - 384860, 503000 - 503658 // Leaf spring		683/672	
	RA	314395 - 384860, 503000 - 503658 // Leaf spring // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA + TA	314395 - 384860, 503000 - 503658 // Leaf spring // Spoked Wheel, Rim size 24"			749 A/742
	RA + TA	314395 - 384860, 503000 - 503658 // With suspension			39580/39520
F 10/280	FA	To chassis number 25000, 580000 - 581999 // Axle load From 6,5t		6386/6320	537/532 X
	FA	To chassis number 25000, 580000 - 581999 // Axle load From 7,5t			39580/39520
	RA + TA	To chassis number 25000, 580000 - 581999 // Equipment variant S-6232			33213 F
	RA	To chassis number 25000, 580000 - 581999 // Disc Wheel // Spoked Wheel, Rim size 20"			663/653
	RA	To chassis number 25000, 580000 - 581999 // Disc Wheel // Spoked Wheel, Rim size 20", Rim size 24"		683/672	
	RA	To chassis number 25000, 580000 - 581999 // Disc Wheel // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	To chassis number 25000, 580000 - 581999 // Equipment variant S-6232		HM215249/ HM215210	
	RA + TA	To chassis number 25000, 580000 - 581999 // Disc Wheel to chassis number 20876		594/592 A	580/572
	RA + TA	To chassis number 25000, 580000 - 581999 // Disc Wheel from chassis number 20877		683/672	663/653
F 10/300	FA	582000 - 582461 // To chassis number 26821		6386/6320	537/532 X
	FA	582000 - 582461 // From chassis number 26822			39580/39520
	RA	582000 - 582461		683/672	
	RA	582000 582461 // Disc Wheel // Spoked Wheel, Rim size 20"			663/653
	RA	582000 - 582461 // Spoked Wheel, Rim size 24"			749 A/742
	RA + TA	582000 - 582461 // Tandem axle with two powered axles , Single tyres			39580/39520
	RA + TA	582000 582461 // Disc Wheel // Spoked Wheel, Rim size 20"			663/653
	RA + TA	582000 582461 // Disc Wheel // Spoked Wheel, Rim size ,20", Rim size 24"		683/672	
	RA + TA	582000 582461 // Spoked Wheel, Rim size, 24"			749 A/742

3\ Wheel end

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

F 10

F 10/300, F 10/320	FA	314407 - 384836, 419751 - 494865, 886247 - 899999			39580/39520
	RA	314407 - 384836, 419751 - 494865, 886247 - 899999		683/672	
	RA	314407 384836, 419751 494865, 886247 - 899999 // Disc Wheel // Spoked Wheel, Rim size 20"			663/653
	RA	314407 - 384836, 419751 - 494865, 886247 - 899999 // Spoked Wheel, Rim size 24"			749 A/742
	RA + TA	314407 - 384836, 419751 - 494865, 886247 - 899999 // Equipment variant S-10099, S-10365, S-10803, S-11011, S-10111, S-10112, S-97024, S-97025		HM218248/ HM218210	33213 F
	RA + TA	314407 - 384836, 419751 - 494865, 886247 - 899999 // Leaf spring		683/672	
	RA + TA	314407 - 384836, 419751 - 494865, 886247 - 899999 // Leaf spring // Disc Wheel // Spoked Wheel, Rim size 20"			663/653
	RA + TA	314407 - 384836, 419751 - 494865, 886247 - 899999 // Leaf spring // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	314407 - 384836, 419751 - 494865, 886247 - 899999 // With suspension			39580/39520
F 10/320	FA	B100000 - B131255, A22031 - A243390			39580/39520
	FA	B100000 - B131255, A220311 - A243390			
	RA	B100000 - B131255, A22031 - A243390		683/672	
	RA	B100000 - B131255, A22031 - A243390 // Disc Wheel //			663/653
	RA	B100000 - B131255, A22031 - A243390 // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	B100000 - B131255, A22031 - A243390 // Equipment variant S-10099, S-10365, S-10803, S-11011, S-10111, S-10112, S-97024, S-97025		HM218248/ HM218210	33213 F
	RA + TA	B100000 - B131255, A22031 - A243390 // Leaf spring		683/672	
	RA + TA	B100000 - B131255, A22031 - A243390 // Leaf spring //			663/653
	RA + TA	B100000 B131255, A22031 A243390 // Leaf spring //			749 A/742
	RA + TA	B100000 B131255, A22031 A243390 // With suspension			39580/39520

FL 10

FL 10/280	FA	300083 - 384912, 560008 - 599999, 800020 - 910999			39580/39520
	FA	300083 - 384912, 560008 - 599999, 800020 - 910999 // Construction site vehicle		33217 F	32312 F
	RA	300083 - 384912, 560008 - 599999, 800020 - 910999 // Spoked Wheel // Disc Wheel		683/672	663/653

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

FL 10

FL 10/280	RA	300083 - 384912, 560008 - 599999, 800020 - 910999 // Bearing Bore diameter 94mm	F 200014		
	RA + TA	300083 - 384912, 560008 - 599999, 800020 - 910999 // Twin tyres	F 200014		
	RA + TA	300083 - 384912, 560008 - 599999, 800020 - 910999 // Leaf spring // Disc Wheel // Spoked Wheel		683/672	663/653
	RA + TA	300083 - 384912, 560008 - 599999, 800020 - 910999 // With suspension // Disc Wheel // Single tyres			39580/39520
FL 10/320, FL 10/360, FL 10H/320, FL 10H/360	FA	1200076 - 1200891, A500000 - A599999, C750000 - C799999, C880000 - C880486			39580/39520
	FA	1200076 - 1200891, A500000 - A599999, C750000 - C799999, C880000 - C880486 // Construction site vehicle		33217 F	32312 F
	RA	1200076 - 1200891, A500000 - A599999, C750000 - C799999, C880000 - C880486 // Spoked Wheel // Disc Wheel		683/672	663/653
	RA	1200076 - 1200891, A500000 - A599999, C750000 - C799999, C880000 - C880486 // Bearing Bore diameter 94mm	F 200014		
	RA + TA	1200076 - 1200891, A500000 - A599999, C750000 - C799999, C880000 - C880486 // Twin tyres	F 200014		
	RA + TA	1200076 - 1200891, A500000 - A599999, C750000 - C799999, C880000 - C880486 // Leaf spring // Disc Wheel // Spoked Wheel		683/672	663/653
	RA + TA	1200076 - 1200891, A500000 - A599999, C750000 - C799999, C880000 - C880486 // With suspension // Disc Wheel/ Single tyres			39580/39520

F 12

F 12/320, F 12/330, F 12/370	FA	From chassis number 34000, 590000 - 591999 // Axle load to 6,5t		6386/6320	537/532 X
	FA	From chassis number 34000, 590000 - 591999 // Axle load to 7,5t			39580/39520
	RA	From chassis number 34000, 590000 - 591999 // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA	From chassis number 34000, 590000 - 591999 // Disc Wheel // Spoked Wheel Rim size 20", Rim size 24"		683/672	
	RA	From chassis number 34000, 590000 - 591999 // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	From chassis number 34000, 590000 - 591999 // Equipment variant S-6232		HM215249/ HM215210	33213 F
	RA + TA	From chassis number 34000, 590000 - 591999 // Disc Wheel, To chassis number 20876		594/592 A	580/572
	RA + TA	From chassis number 34000, 590000 - 591999 // Disc Wheel, From chassis number 20877		683/672	663/653

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

F 12

F 12/320, F 12/360, F 12/370, F 12/400	FA	34001 - 65820, 592000 - 592485 // Axle load to 6,5t, To chassis number 36763		6386/6320	537/532 X
F 12/320, F 12/360, F 12/370, F 12/400, F 12/410	FA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999			39580/39520
	RA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999 // Disc Wheel // Spoked Wheel Rim size 20", Rim size 24"		683/672	
	RA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999 // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999 // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999 // Leaf spring // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA + TA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999 // Leaf spring // Spoked Wheel Rim size 20", Rim size 24"		683/672	
	RA + TA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999 // Leaf spring // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	314408 - 384921, 34001 - 65820, 419689 - 495008, 592000 - 592485, 593000 - 594459, 886737 - 899999 // With suspen- sion // Spoked Wheel			39580/39520
	RA + TA	34001 - 65820, 592000 - 592485 // Equi- pment variant S-6232 // 314408 - 384921, 419689 - 495008, 593000 - 594459, 886737 - 899999 // Equipment variant S-10609, S-10610, S-10112, S-10801, S-11010, S-97024, S-97025		HM215249/ HM215210	33213 F
	RA	34001 65820, 592000 592485 // Spoked Wheel		594/592 A	580/572
F 12/360, F 12/400, F 12/410	FA	B100000 - B131732, A220151 - A244586			39580/39520
	RA	B100000 - B131732, A220151 - A244586		683/672	
	RA	B100000 - B131732, A220151 - A244586 // Spoked Wheel Rim size 20"			663/653
	RA	B100000 - B131732, A220151 - A244586 // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	A220151 - A244586, B100000 - B131732 // Equipment variant S-10609, S-10610, S-10112, S-10801, S-11010, S-97024, S-97025		HM218248/ HM218210	33213 F

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

F 12

F 12/360, F 12/400, F 12/410	RA + TA	A220151 A244586, B100000 B131732 // Leaf spring		683/672	
	RA + TA	A220151 - A244586, B100000 - B131732 // Leaf spring // Spoked Wheel Rim size 20"			663/653
	RA + TA	A220151 - A244586, B100000 - B131732 // Leaf spring // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	A220151 - A244586, B100000 - B131732 // With suspension			39580/39520
F 12/400, F 12/410	FA	34001 - 65820, 592000 - 592485 // Axle load to 6,5t, To chassis number 36763		6386/6320	
	FA	34001 - 65820, 592000 - 592485 // Axle load to 6.5t, To chassis number 36763			537/532 X

FH 12

FH 12/340, FH 12/380, FH 12/420, FH 12/460	FA + LA		F 200013		
	FA + LA		F 200015		
	FA + LA + TA		F 200014		
	FA		F 200013		
FH 12/340, FH 12/380, FH 12/420, FH 12/460, FH 12/500	FA		F 200015		
	RA		F 200014		
	RA		F 200014		

FL 12

FL 12/380, FL 12/420	FA				39580/39520
FL 12/380, FL 12/420, FL 12H/380, FL 12H/420	RA	To chassis number 563621		683/672	663/653
	RA	From chassis number 563622	F 200014		
FL 12H/380, FL 12H/420	FA	Construction site vehicle		33217 F	32312 F
	RA + TA	From chassis number 563622	F 200014		
	RA + TA	Steering axle // To chassis number 563621			39580/39520
	RA + TA	Rigid Axle // To chassis number 563621		683/672	663/653

FM 12

FM 12/340, FM 12/380, FM 12/420, FM 12/460, FM 12H/340, FM 12H/380, FM 12H/420	FA		F 200013		
	FA		F 200015		
	RA		F 200014		
	RA		F 200014		
FM 12H/340, FM 12H/380, FM 12H/420	FA + LA		F 200013		
	FA + LA		F 200015		
	FA + LA + TA		F 200014		

3\ Wheel end

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---

VOLVO

NH 12

NH 12/420	FA	From chassis number D120012			39580/39520
	FA	T681238 - T688830, E668761 - E686826, E686834 - E689494, From chassis number D120012 // Freno de tambor	F 200013		
	RA	From chassis number D120012		683/672	663/653
	RA	T681238 - T688830, E668761 - E686826, E686834 - E689494	F 200014		
	RA + TA	From chassis number D120012 // Twin tyres	F 200014		
	RA + TA	From chassis number D120012 // Single tyres			39580/39520

F 16

F 16/470	FA	314395 - 384860, 503000 - 503658			39580/39520
	RA	314395 - 384860, 503000 - 503658		683/672	
	RA	314395 - 384860, 503000 - 503658 // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA	314395 - 384860, 503000 - 503658 // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	314395 - 384860, 503000 - 503658 // Leaf spring		683/672	
	RA + TA	314395 - 384860, 503000 - 503658 // Leaf spring // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA + TA	314395 - 384860, 503000 - 503658 // Leaf spring // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	314395 - 384860, 503000 - 503658 // With suspension			39580/39520
F 16/500	FA	A221266 - A242426			39580/39520
	RA	A221266 - A242426		683/672	
	RA	A221266 - A242426 // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA	A221266 - A242426 // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	A221266 - A242426 // Leaf spring		683/672	
	RA + TA	A221266 - A242426 // Leaf spring // Disc Wheel // Spoked Wheel Rim size 20"			663/653
	RA + TA	A221266 - A242426 // Leaf spring // Spoked Wheel Rim size 24"			749 A/742
	RA + TA	A221266 A242426 // With suspension			39580/39520

FH 16

FH 16/470, FH 16/520, FH 16/540, FH 16/550, FH 16/580, FH 16/610, FH 16/660, FH 16/700	FA		F 200013		
	FA		F 200015		
	RA		F 200014		
	FA + LA		F 200013		
	FA + LA		F 200015		
	FA + LA				
	FA + LA + TA		F 200014		

			N° chassis // Axle load // Wheel type			
---	---	---	---	---	---	---


VOLVO

FE

FE 240-18, FE 240-22, FE 240-26, FE 260-18, FE 260-26, FE 280-18, FE 280-22, FE 280-26, FE 300-18, FE 300-26, FE 320-18, FE 320-22, FE 320-26, FE 340-18, FE 340-26	FA	Axle load to 7,3t	F 200015		
	FA	Axle load to 9,3t	F 200013		
FE 240-18, FE 240-22, FE 240-26, FE 260-18, FE 280-18, FE 280-22, FE 280-26, FE 300-18, FE 320-18, FE 320-22, FE 320-26, FE 340-18	RA		F 200014		
FE 240-22, FE 240-26, FE 260-26, FE 280-22, FE 280-26, FE 320-22, FE 320-26, FE 340-26	RA	Single tyres	F 200013		
FE 240-22, FE 240-26, FE 260-26, FE 280-26, FE 320-26, FE 340-26	RA	Twin tyres	F 200014		
FE 280-22	RA		F 200014		

FH

400	RA + TA		F 200014		
400, 420, 440, 480, 500, 520, 550, 610	FA	Equipament variant RC-Rough	F 200015		
	FA	Equipament variant RC-Smooth	F 200013		
	RA		F 200014		
400, 440, 460, 480, 500, 520, 540	RA + TA		F 200014		
	FA + LA		F 200015		
400, 440, 480, 520	RA + TA		F 200013		
	RA + TA	Twin tyres	F 200014		



VOLVO

FLC

FLC 140	FA				33207 F
	RA			33014 F	33012 F

FM


FM 300, FM 340, FM 360, FM 380, FM 390, FM 400, FM 440, FM 450, FM 480	FA	Equipment variant RC-Rough // Axle load 7,5 - 9,0t	F 200013		
	RA + TA		F 200014		
	FA + LA		F 200015		
	RA + TA		F 200013		
	RA	Twin tyres	F 200014		
FM 300, FM 340, FM 360, FM 380, FM 390, FM 400, FM 440, FM 480, FM 500	FA	Equipment variant RC-Rough // Equipment variant RC-Smooth, Axle load 7,5 - 9,0t	F 200013		
	FA	Equipment variant RC-Smooth, Axle load to 7,5t	F 200015		
	RA		F 200014		
	FA		F 200013		
FM 330, FM 340, FM 370, FM 380	RA		F 200015		
	RA		F 200013		
	RA		F 200015		
	RA		F 200013		
FM 360	FA	Equipment variant RC-Rough // Axle load to 9,0t	F 200013		





4 \

OEM Cross References



4 \ OEM Cross References

OEM	Fersa
VOLVO	
11013	6206
11028	6310
11030	6312
11042	30207 F
11062	32310 F
11062	CONE 32310 F
11071	30214 F
11075	32212 F
11148	3984/3920
16015	*
18416	469/453 X
18459	30217 F
18459	33208 F
18599	3982/3920
19464	*
19499	6218 C3
181073	*
181086	32219 F
181086	CONE 32219 F
181281	665 A/653
181335	6205 2RS
181396	31315 F
181396	CONE 31315 F
181400	31316 F
181538	6206 2RS
181556	*
181563	*
181609	31312 F
181632	*
181669	32308 F
181669	CONE 32308 F
181716	16014
181716	F 16014
183231	NUP 309 FN/C3
183232	30208 F
183232	CONE 30208 F
183245	39590/39520
183257	*
183258	*
183316	30305 F
183326	HM 220149/HM 220110
183348	HM 215249/HM 215210
183351	HM 218248/HM 218210
183358	*
183360	*
183363	*
183375	NJ 310 FM
183418	JM 612949/JM 612910
183430	JLM 104948/JLM 104910
183452	*
183489	*
183490	*
183502	6005 2RS
183549	*
183588	*
183590	6312 NR/C3
183592	6309 C3
183593	*
183595	*

OEM	Fersa
VOLVO	
183596	*
183644	HM 88542/HM 88510
183645	HM 88542/HM 88510
183648	33207 F
183648	AAH 33207 F
183648	CONE 33207 F
183675	NJ 310 FM
183688	F 19003
183690	48290/48220
183696	F 19106
183698	F 19003
183703	NUP 2212 FP/C3
183704	594/592 A
183708	*
183735	32015 XF
183766	33013 F
183768	33018 F
183778	33014 F
183788	*
183855	*
183987	F 17090 K
183988	*
183989	*
183990	*
183993	*
184068	32015 XF
184084	*
184088	39580/39520
184098	HM 804843/HM 804810
184115	HM 911245/HM 911210
184164	NUP 309 FN/C3
184413	6217 C3
184414	*
184425	537/532 X
184567	NUP 310 FNR/C3
184571	NUP 213 FPNR/C3
184623	32017 XF
184625	32020 XF
184630	32028 XF
184633	HM 911245/HM 911210
184634	H 913842/H 913810
184634	H 913842/HM 913810
184635	H 913843/H 913810
184636	9285/9220
184637	687/672
184644	6006/32 2RS/C3
184646	6009 C3
184650	F 15346
184671	JW 7049/JW 7010
184672	33213 F
184678	33115 F
184679	30217 F
184679	33208 F
184737	498/493
184738	33275/33472
184739	*
184753	72212 C/72487
184792	55175 C/55437
184794	663/653

OEM	Fersa
VOLVO	
184795	683/672
184825	537/532 X
267327	F 19106
267374	F 17088 K
267409	F 19105
267974	*
600110	F 18049
815820	39580/39520
1075408	F 200014
1078053	F 400019
1139717	NUP 314 FMNR/C3
1139718	NUP 314 FMNR/C3
1139842	6314 NR/C3
1194652	32309 F
1521452	F 17092 K
1521453	F 17091 K
1521596	CONE 33113 F
1521597	*
1522556	30314 F
1523243	F 19080
1523540	F 19063
1523636	*
1523666	F 15071
1524058	33214 F
1524061	32016 XF
1524331	F 19112
1524857	32217 F
1524879	*
1524881	F 17063 K
1524926	31318 F
1524964	32017 XF
1524988	32010 XF
1526058	*
1526061	*
1526063	NUP 311 FMNR/C3
1526184	*
1526190	F 17002 K
1526385	*
1526391	*
1526477	*
1526561	F 19106
1526601	*
1526658	F 19009
1526667	F 17054 K
1526672	F 19008
1526694	F 17084 K
1526724	F 15047
1526724	CONE F 15047
1526731	F 17083 K
1526736	F 17082 K
1526740	F 17064 K
1526744	F 19016
1526747	F 19075
1526874	61915 C3
1526960	*
1527268	*
1527316	*
1527413	*
1527507	*

OEM	Fersa
VOLVO	
1527510	F 19105
1584340	JF 7049 A/JF 7010
1588222	F 15157
1614801	JF 6049/JF 6010
1652099	F 15347
1652099	32212 F
1652119	30217 F
1652123	*
1652127	33208 F
1652135	*
1652139	*
1652147	*
1652261	*
1652553	*
1652559	F 19065
1652563	F 15348
1652563	33212 F
1652572	*
1652575	F 17095 K
1652581	F 17093 K
1652600	*
1652604	F 18053
1652611	CONE JD 6549
1652986	6306 2RS
1652989	6306/25 2RS/C3
1654070	*
1654073	*
1654076	*
1654082	*
1654085	*
1654088	F 17094 K
1654320	JF 6049/JF 6010
1654323	33110 F
1654326	33214 F
1655563	*
1656100	30314 F
1656104	CONE JF 4549
1656116	CONE F 15150 A
1656129	F 15116
1662502	F 19010
1662515	5395/5335
1662520	F 17087 K
1662523	F 17086 K
1662532	F 19038
1662534	F 19037
1662561	F 18052
1662581	F 17081 K
1663410	30214 F
1663674	16014
1669258	*
1673537	31314 F
1698580	HM 218248/HM 218210
1699173	32018 XF
1699339	33217 F
1699340	32312 F
1699880	45285 A/45221
1699893	2789/2729
1699917	*
3093888	*

4 \ OEM Cross References

OEM	Fersa
VOLVO	
3094018	*
3094047	32209 F
3094047	CONE 32209 F
3094303	33208 F
3098132	F 15193
3099785	F 15278
3121521	*
3121635	33885/33822
3121670	*
3121671	CONE F 15101
3123328	476/472
3152068	33021 F
3152133	F 15361
3173772	F 15117
3192193	30217 F
3197881	344/332
3203086	F 17064 K
3988673	F 200013
3988674	F 200013
3988675	F 200013
3988830	F 200013
6210074	32019 XF
6635263	33889/33822
6790140	*
6795542	H 715332/H 715311
6857271	F 19019
6876153	F 19019
6889591	6386/6320
6889592	537/532 X
6889593	683/672
6889595	53178/53377
7019463	6215
8127813	*
8127818	594 A/592 A
8151816	JF 7049 A/JF 7010
8151820	39580/39520
8171087	32021 XF
8172094	F 15279
8172960	F 15371
8172961	F 19033
20366532	F 15321
20366533	F 19063
20382168	F 200013
20428192	39580/39520
20476519	F 400022
20483340	F 15266
20483574	F 17105 K
20499882	F 400006
20508274	65237/65500
20517164	F 400019
20518053	F 400021
20518054	F 400022
20518092	F 200013
20518092	F 400014
20518093	F 200013
20518617	F 200015
20518637	F 200013
20518661	F 200014
20520430	CONE 31594

OEM	Fersa
VOLVO	
20523899	F 300010
20534904	F 400013
20535202	F 400009
20535244	F 400021
20535245	F 400021
20550678	F 300007
20551283	F 15291
20558950	F 200013
20581399	F 400013
20582548	32021 XF
20582549	F 15279
20589393	F 200015
20593388	33117 F
20593429	32019 XF
20723502	33216 F
20723502	CONE 33216 F
20728008	F 200013
20764313	F 300003
20785448	F 18059
20792439	F 200014
20792440	F 200014
20819804	F 400018
20819826	F 400030
20820291	*
20820296	*
20820402	F 400018
20820420	F 400006
20853421	33889/33822
20853423	JF 4049/JF 4010
20853465	F 15366
20853752	32024 XF
20899928	F 15367
20901349	F 15346
20901349	JF 6049/JF 6010
20958949	*
20967828	F 200014
20967830	F 200015
20967831	F 200013
21001091	F 18053
21021391	F 200013
21022433	F 400010
21024160	F 400013
21024166	F 400013
21036050	F 200014
21062580	F 400031
21170624	F 18053
21275834	F 15367
21275836	F 15366
21328177	F 400018
21328181	F 400018
21336855	F 400021
21336856	F 400021
21336857	F 400021
21626057	F 15326
21626061	F 15347
21626063	F 15345
21626063	F 15345
21627792	F 15348
21631346	33021 F

OEM	Fersa
VOLVO	
21660722	F 15346
21663698	580/572
22008157	F 200015
22283632	F 15346
30957385	32026 XF
81241402	F 15361
81241405	F 19080
81241411	64450/64700
81241461	*
85103257	F 15127
85103258	F 15126
85104301	F 400019
85104619	LM 104949/JLM 104910
85105696	F 400007
85107749	F 400010
85107753	F 400008
85109244	F 400030
85110616	F 200004
85110616	F 200032
85111448	F 400009
85111789	F 400010
85111791	F 400009
85114470	F 400009
85124433	F 300007
181044/181045	*
181048/19276	497/493
181050/181051	56425/56650
181133/181333	25590/25520
181133/183356	25590/25520
181166/181167	HM 807040/HM 807010
181278-181279	683/672
181298 / 181128	594/592 A
181298/181128	594/592 A
181299/181125	580/572
181337/181346	6386/6320
181338/181402	537/532 X
181596/181279	687/672
181664/181340	749 A/742
183644/183645	HM 88542/HM 88510
183676/183831	*
184097/184096	*
184633/184115	HM 911245/HM 911210
184637/181279	687/672
2102 0601	6206 2RS/C3
384267/384266	H 715345/H 715311
6631199/6631198	*
8228 495	JM 716649/JW 716610
VOE11704989	37425/37625



4 \ OEM Cross References





Blank lined area for writing.



Blank lined area for writing.

4 \ OEM Cross References





4 \ OEM Cross References





4 \ OEM Cross References





EXPERTS IN BEARING SOLUTIONS

50 Years

EUROPE
Spain \ Zaragoza

Headquarters
Tlf: +34 976 333 850
fersa@fersa.com

Regional branch
Tlf: +34 876 269 571
fersaiberia@fersa.com

NORTH AMERICA
U.S.A \ Ohio


Tlf: +1 567-661-0806
fersa.usa@fersa.com

ASIA
China \ Jiaxing

Tlf: +86 (0) 573 8271 6335
fersa.cn@fersa.com

SOUTH AMERICA
Brazil \ Sao Paulo

Tlf: +55 41 3132 5109
fersa.brasil@fersa.com



www.fersa.com



CAT FS VOLVO